

# PRODUCT CATALOGUE



m.marcus  
architectural hardware

# PRODUCT CATALOGUE



m.marcus  
architectural hardware





## M. Marcus Product Plus Catalogue

This new Product Plus Catalogue introduces a growing range of products specifically developed for the construction and specification markets, both commercial and domestic.


This new 'Plus' range perfectly complements those products already featured in our general product catalogue.



Italian designed lever handles for an urban look that is fresh and fashionable.



The durability of stainless steel, an attractive minimalist look and contemporary design, makes this collection perfect for total harmonisation with other fixtures or fittings.



Extraordinary value for money, this range is ideally suited for any housing projects that require good looking handles in popular finishes.



INDEX



m.marcus  
architectural hardware



3 Lena



4 Donna



5 Tosca




6 Aurora



7 Fluo



7 Mercury



7 Roda



8 Axis



8 Shuttle



9 Ico



9 Goccia



10 Siloh



10 Deda



## STEEL LINE

INDEX



m.marcus  
architectural hardware

14 PR-TB10



14 PR-ARC9



15 PR-MT03



15 PR-US01



16 SS-101



16 SS-401



17 SS-451




17 SS-551



18 SS-601



18 SS-651



19 SS-701



20-29  
Accessories



## PROJECThardware

31 Luca



32 Avon



34 Milton



33 Malvern



35 Kensington





Polished Brass

Lacquered Polished Brass



Polished Chrome

Polished Chrome Plate Finish



Satin Chrome

Satin Chrome Plate Finish



Apollo Split Finish

Satin Chrome with a Polished Chrome Edge



Polished Stainless Steel



Satin Stainless Steel



FD30/60

#### WHERE YOU SEE THIS SYMBOL

Suitable for use on 1/2 and 1 hour timber based fire doors when fitted in conjunction with a fire tested latch or lock.

To **BS 476 : Part 22 : 1987**  
or **BS EN 1634-1 2000**



m.marcus  
architectural hardware



[www.m-marcus.com](http://www.m-marcus.com)





Italian designed lever handles for an urban look that is fresh and fashionable.





m.marcus  
architectural hardware



## Lena

Lever on Plate  
190 x 48mm



FD30/60

### SC-2350

Lever Lock

### SC-2360

Lever Latch

### SC-2330

Bathroom Set

### SC-2348

Euro Profile



### SC-2352

Lever on Rose  
53mm Diameter



FD30/60



m.marcus  
architectural hardware



## Donna

Lever on Plate  
183 x 42mm



FD30/60

### SC-6350

Lever Lock

### SC-6360

Lever Latch

### SC-6330

Bathroom Set

### SC-6348

Euro Profile



### SC-6352

Lever on Rose  
53mm Diameter



FD30/60





m.marcus  
architectural hardware



## Tosca

Lever on Plate  
183 x 42mm



FD30/60

### SC-4350

Lever Lock

### SC-4360

Lever Latch

### SC-4330

Bathroom Set

### SC-4348

Euro Profile



### SC-4352

Lever on Rose  
53mm Diameter



FD30/60



m.marcus  
architectural hardware



## Aurora

Lever on Plate  
183 x 42mm



FD30/60

### SC-7350

Lever Lock

### SC-7360

Lever Latch

### SC-7330

Bathroom Set

### SC-7348

Euro Profile



### SC-7352

Lever on Rose  
53mm Diameter



FD30/60





m.marcus  
architectural hardware



## Fluo

**SC-3952**  
53mm Diameter



FD30/60



## Mercury

**SC-4692**  
53mm Diameter



FD30/60



## Roda

**SC-3875**  
53mm Diameter



FD30/60



## Axis

**SC-4062**  
53mm Square



FD30/60



## Shuttle

**SC-3052**  
53mm Diameter



FD30/60







## Ico

**SC-2012**  
53mm Diameter



FD30/60



## Goccia

**SC-1012**  
53mm Diameter



FD30/60





## Siloh

**SC-3392**  
53mm Diameter



FD30/60



## Deda

**SC-4754**  
53mm Diameter



FD30/60



**SC-0195**  
**Snib & Release**  
Diameter 53mm



FD30/60



**SC-0191**  
**Keyhole Escutcheon**  
Diameter 53mm



FD30/60



**SC-0192**  
**Euro Escutcheon**  
Diameter 53mm



FD30/60



**SC-SQ0195**  
**Bathroom Turn**  
53 x 53mm



FD30/60



**SC-SQ0191**  
**Keyhole Escutcheon**  
53 x 53mm



FD30/60



**SC-SQ0192**  
**Euro Escutcheon**  
53 x 53mm



FD30/60



## STEEL LINE



m.marcus  
architectural hardware



**14** PR-TB10



**14** PR-ARC9



**15** PR-MT03



**20** Thumbtuns



**15** PR-US01



**16** SS-101



**16** SS-401



**21-23** Pulls



**24-25** Numerals & Signs



**17** SS-451



**17** SS-551




**18** SS-601



**26** Stops, Hooks, Pulls



**18** SS-651



**19** SS-701



**27** Finger plates  
Cylinder Pulls

**28-29** Hinges



The durability of stainless steel, an attractive minimalist look and contemporary design, makes this collection perfect for total harmonisation with other fixtures or fittings.



## CONTRACT LEVERS ON ROSE

Steel Levers on this page have a pressed steel fixing rose with push on rose cover



m.marcus  
architectural hardware

### PR-TB10

53mm Diameter  
135mm Total Length  
68mm Projection



FD30/60



### PR-ARC9

53mm Diameter  
140mm Total Length  
68mm Projection



FD30/60





## CONTRACT LEVERS ON ROSE

Steel Levers on this page have a pressed steel fixing rose with push on rose cover



m.marcus  
architectural hardware

### PR-MT03

53mm Diameter  
135mm Total Length  
68mm Projection



FD30/60



### PR-US01

53mm Diameter  
140mm Total Length  
65mm Projection



FD30/60



## LEVERS ON ROSE

Steel Levers on this page have a solid cast steel fixing rose with threaded rose cover



m.marcus  
architectural hardware



### SS-101

53mm Diameter  
125mm Total Length  
65mm Projection



FD30/60



### SS-401

53mm Diameter  
133mm Total Length  
65mm Projection



FD30/60

## LEVERS ON ROSE

Steel Levers on this page have a solid cast steel fixing rose with threaded rose cover



m.marcus  
architectural hardware



### SS-451

53mm Diameter  
110mm Total Length  
55mm Projection



FD30/60



### SS-551

53mm Diameter  
133mm Total Length  
65mm Projection



FD30/60



## LEVERS ON ROSE

Steel Levers on this page have a solid cast steel fixing rose with threaded rose cover




m.marcus  
architectural hardware

### SS-601

53mm Diameter  
131mm Total Length  
63mm Projection



FD30/60



### SS-651

53mm Diameter  
133mm Total Length  
65mm Projection



FD30/60



## LEVERS ON ROSE

Steel Levers on this page have a solid cast steel fixing rose with threaded rose cover



m.marcus  
architectural hardware

P



### SS-701

53mm Diameter  
133mm Total Length  
65mm Projection



FD30/60

S






P



S




**SS-895D**  
**Snib & Release**  
*Diameter 53mm*




P



**SS-895**  
**Snib & Release**  
*Diameter 53mm*



S



P

**SS-890**  
**Keyhole Escutcheon**  
*Diameter 53mm*



S



P

**SS-891**  
**Euro Escutcheon**  
*Diameter 53mm*



S

## PULL HANDLES

Large Entrance Pull Handle (Bolt Fix & Back to Back)



m.marcus  
architectural hardware

S

### SS-316 STEEL TYPE 316

CODE	DESCRIPTION	TUBE Dia.	LENGTH	C to C
SS-T250001-S	T Pull Bolt Fix	25mm	720mm	600mm
SS-T250002-S	T Pull Bolt Fix	25mm	1120mm	1000mm
SS-T320004-S	T Pull Bolt Fix	32mm	1400mm	1200mm
SS-T320005-S	T Pull Bolt Fix	32mm	2000mm	1800mm
SS-T250001R-S	T Pull Back to Back	25mm	720mm	600mm
SS-T250002R-S	T Pull Back to Back	25mm	1120mm	1000mm
SS-T320004R-S	T Pull Back to Back	32mm	1400mm	1200mm
SS-T320005R-S	T Pull Back to Back	32mm	2000mm	1800mm

*Back to Back Pulls supplied as a pair*

## PULL HANDLES

### Bolt Fix Pull Handle



m.marcus  
architectural hardware



## SS-304 19mm DIAMETER STEEL TYPE 304

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D190001-S	Bolt Fix	19mm	150mm	Satin
SS-D190002-P	Bolt Fix	19mm	150mm	Polished
SS-D190003-S	Bolt Fix	19mm	225mm	Satin
SS-D190004-P	Bolt Fix	19mm	225mm	Polished
SS-D190005-S	Bolt Fix	19mm	300mm	Satin
SS-D190006-P	Bolt Fix	19mm	300mm	Polished
SS-D190007-S	Bolt Fix	19mm	425mm	Satin
SS-D190008-P	Bolt Fix	19mm	425mm	Polished
SS-D190009-S	Bolt Fix	19mm	600mm	Satin
SS-D190010-P	Bolt Fix	19mm	600mm	Polished



## SS-304 22mm DIAMETER STEEL TYPE 304

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D220001-S	Bolt Fix	22mm	150mm	Satin
SS-D220002-P	Bolt Fix	22mm	150mm	Polished
SS-D220003-S	Bolt Fix	22mm	225mm	Satin
SS-D220004-P	Bolt Fix	22mm	225mm	Polished
SS-D220005-S	Bolt Fix	22mm	300mm	Satin
SS-D220006-P	Bolt Fix	22mm	300mm	Polished
SS-D220007-S	Bolt Fix	22mm	425mm	Satin
SS-D220008-P	Bolt Fix	22mm	425mm	Polished
SS-D220009-S	Bolt Fix	22mm	600mm	Satin
SS-D220010-P	Bolt Fix	22mm	600mm	Polished

## SS-316 22mm DIAMETER STEEL TYPE 316

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D220105-S	Bolt Fix	22mm	300mm	Satin
SS-D220106-P	Bolt Fix	22mm	300mm	Polished
SS-D220107-S	Bolt Fix	22mm	425mm	Satin
SS-D220108-P	Bolt Fix	22mm	425mm	Polished
SS-D220109-S	Bolt Fix	22mm	600mm	Satin
SS-D220110-P	Bolt Fix	22mm	600mm	Polished

*Bolt fixing pull handles are supplied with bolt through fixings only.*

*Optional fixing packs as illustrated are available to purchase separately, supplied with rose cover & under-rose in steel, concealed fixings & Allen key.*

*See below for details.*



### CONCEALED FIXING PACKS

CODE	DIAMETER	DEPTH.	FOR TUBE	FINISH
SS-D190021-S	53mm	8mm	19mm	Satin
SS-D190022-P	53mm	8mm	19mm	Polished
SS-D220021-S	53mm	8mm	22mm	Satin
SS-D220022-P	53mm	8mm	22mm	Polished

## PULL HANDLES

Back to Back Fixing



m.marcus  
architectural hardware

### SS-304 19mm DIAMETER STEEL TYPE 304

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D190011-S	Back to Back	19mm	150mm	Satin
SS-D190012-P	Back to Back	19mm	150mm	Polished
SS-D190013-S	Back to Back	19mm	225mm	Satin
SS-D190014-P	Back to Back	19mm	225mm	Polished
SS-D190015-S	Back to Back	19mm	300mm	Satin
SS-D190016-P	Back to Back	19mm	300mm	Polished
SS-D190017-S	Back to Back	19mm	425mm	Satin
SS-D190018-P	Back to Back	19mm	425mm	Polished
SS-D190019-S	Back to Back	19mm	600mm	Satin
SS-D190020-P	Back to Back	19mm	600mm	Polished

### SS-304 22mm DIAMETER STEEL TYPE 304

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D220011-S	Back to Back	22mm	150mm	Satin
SS-D220012-P	Back to Back	22mm	150mm	Polished
SS-D220013-S	Back to Back	22mm	225mm	Satin
SS-D220014-P	Back to Back	22mm	225mm	Polished
SS-D220015-S	Back to Back	22mm	300mm	Satin
SS-D220016-P	Back to Back	22mm	300mm	Polished
SS-D220017-S	Back to Back	22mm	425mm	Satin
SS-D220018-P	Back to Back	22mm	425mm	Polished
SS-D220019-S	Back to Back	22mm	600mm	Satin
SS-D220020-P	Back to Back	22mm	600mm	Polished

### SS-316 22mm DIAMETER STEEL TYPE 316

CODE	DESCRIPTION	TUBE Dia.	C to C	FINISH
SS-D220115-S	Back to Back	22mm	300mm	Satin
SS-D220116-P	Back to Back	22mm	300mm	Polished
SS-D220117-S	Back to Back	22mm	425mm	Satin
SS-D220118-P	Back to Back	22mm	425mm	Polished
SS-D220119-S	Back to Back	22mm	600mm	Satin
SS-D220120-P	Back to Back	22mm	600mm	Polished





# NUMERALS

Screw Fixing 76mm 3"



m.marcus  
architectural hardware



SS-1560-0-S  
SS-1560-0-P

Satin  
Polished



SS-1560-1-S  
SS-1560-1-P

Satin  
Polished



SS-1560-2-S  
SS-1560-2-P

Satin  
Polished



SS-1560-3-S  
SS-1560-3-P

Satin  
Polished



SS-1560-4-S  
SS-1560-4-P

Satin  
Polished



SS-1560-5-S  
SS-1560-5-P

Satin  
Polished



SS-1560-6-S  
SS-1560-6-P

Satin  
Polished



SS-1560-7-S  
SS-1560-7-P

Satin  
Polished



SS-1560-8-S  
SS-1560-8-P

Satin  
Polished



SS-1560-9-S  
SS-1560-9-P

Satin  
Polished

## SIGNS & SYMBOLS

All 76mm Diameter



m.marcus  
architectural hardware



SS-SIGN001-S  
SS-SIGN002-P

Satin  
Polished



SS-SIGN009-S  
SS-SIGN010-P

Satin  
Polished



SS-SIGN011-S  
SS-SIGN012-P

Satin  
Polished



SS-SIGN007-S  
SS-SIGN008-P

Satin  
Polished



SS-SIGN017-S  
SS-SIGN018-P

Satin  
Polished



SS-SIGN015-S  
SS-SIGN016-P

Satin  
Polished



SS-SIGN021-S  
SS-SIGN022-P

Satin  
Polished



SS-SIGN019-S  
SS-SIGN020-P

Satin  
Polished



SS-SIGN013-S  
SS-SIGN014-P

Satin  
Polished



SS-SIGN023-S  
SS-SIGN024-P

Satin  
Polished



SS-SIGN003-S  
SS-SIGN004-P

Satin  
Polished



SS-SIGN005-S  
SS-SIGN006-P

Satin  
Polished



# DOOR STOPS - HOOKS - FLUSH BOLTS AND PULLS



H 85mm  
Max Dia. 46mm Min Dia. 19mm



SS-STOP007-S Concealed Fix Satin  
SS-STOP008-P Concealed Fix Polished

H 40mm  
Max Dia. 35mm  
Min Dia. 30mm



SS-STOP003-S Concealed Fix Satin  
SS-STOP004-P Concealed Fix Polished

H 51mm  
Max Dia. 35mm  
Min Dia. 30mm



SS-STOP005-S Concealed Fix Satin  
SS-STOP006-P Concealed Fix Polished

H 24mm  
Dia. 44mm



SS-STOP001-S Concealed Fix Satin  
SS-STOP002-P Concealed Fix Polished




SS-HOOK005-S Buffered Hat & Coat Satin  
SS-HOOK006-P Buffered Hat & Coat Polished




SS-HOOK003-S Hat & Coat Satin  
SS-HOOK004-P Hat & Coat Polished



SS-HOOK001-S Hat & Coat Satin  
SS-HOOK002-P Hat & Coat Polished




SS-FPULL001-S Circular Flush Pull Satin  
SS-FPULL002-P Circular Flush Pull Polished



SS-FPULL003-S 51mm Wide Flush Pull Satin  
SS-FPULL004-P 51mm Wide Flush Pull Polished



SS-FBOLT001-S Flush Bolt 203 x 19mm Satin  
SS-FBOLT002-P Flush Bolt 203 x 19mm Polished



1. Category of use	2. Durability	3. Test door mass	4. Suitability for fire/smoke door use	5. Safety	6. Corrosion resistance	7. Security	8. Hinge grade
4	7	6	1	1	4	1	13

## Digit 1

### Category of use

Four categories of use are identified:

- Grade 1: light duty
- Grade 2: medium duty
- Grade 3: heavy duty
- Grade 4: severe duty

## Digit 2

### Durability

- grade 3: 10 000 test cycles, for light duty hinges on windows only
- grade 4: 25 000 test cycles, for light duty hinges on windows and doors
- grade 7: 200 000 test cycles, for medium, heavy and severe duty hinges on doors only

## Digit 3

### Test door mass

Eight door mass grades related to single-axis hinges are identified in this European standard as shown in table *Figure 1*

Test door mass grade	Door mass
0	10 kg
1	20 kg
2	40 kg
3	60 kg
4	80 kg
5	100 kg
6	120 kg
7	160 kg

Figure 1

## Digit 4

### Suitability for fire/smoke door use

- Two grades of suitability are identified for single-axis hinges:
- Grade 0: not suitable for fire/smoke resistant door assemblies
- Grade 1: suitable for fire/smoke resistant door assemblies subject to satisfactory assessment of the contribution of the single-axis hinge to the fire resistance of the specified fire/smoke door assemblies. Such assessment is beyond the scope of this European standard (see EN 1634-1).

## Digit 5

### Safety

Single-axis hinges are required to satisfy the essential requirements of safety in use. Therefore, only grade 1 is identified.

## Digit 6

### Corrosion resistance

- Five grades of corrosion resistance are identified in accordance with EN 1670:
- Grade 0: no defined corrosion resistance.
- Grade 1: mild resistance.
- Grade 2: moderate resistance.
- Grade 3: high resistance.
- Grade 4: very high resistance.

## Digit 7

### Security

- Two grades of security are identified for single-axis hinges:
- Grade 0: not suitable for use on burglar-resistant door assemblies
- Grade 1: suitable for applications requiring a degree of security.

## Digit 8

### Hinge grade

Fourteen grades are identified. 1-14 in table *Figure 2*

Hinge grade	Usage	Test cycles	Door mass
1	Window	10 000	10 kg
2	Window	10 000	20 kg
3	Window/Door	25 000	20 kg
4	Door	200 000	20 kg
5	Window	10 000	40 kg
6	Window/Door	25 000	40 kg
7	Door	200 000	40 kg
8	Window	10 000	60 kg
9	Window/Door	25 000	60 kg
10	Door	200 000	60 kg
11	Door	200 000	80 kg
12	Door	200 000	100 kg
13	Door	200 000	120 kg
14	Door	200 000	160 kg

Figure 2

## HINGES

Hinges are All Supplied with Fixing Screws



m.marcus  
architectural hardware



SS-4X33SS 4"x3"x3mm Ball Bearing Hinge (pair) Satin  
SS-4X33PS 4"x3"x3mm Ball Bearing Hinge (pair) Polished  
SS-4X33PVD 4"x3"x3mm Ball Bearing Hinge (pair) PVD Stainless Steel  
SS-4X331.5SS 4"x3"x3mm Ball Bearing Hinge (1.5 pair) Satin  
SS-4X331.5PS 4"x3"x3mm Ball Bearing Hinge (1.5 pair) Polished

BS EN 1935:2002 single axis hinges classification code.

4	7	6	1	1	4	0	13
---	---	---	---	---	---	---	----



1121 Grade 13



FD30/60



SS-4X33RSS 4"x3"x3mm Ball Bearing Radius Corners (pair) Satin  
SS-4X33RPS 4"x3"x3mm Ball Bearing Radius Corners (pair) Polished  
SS-4X33RPVD 4"x3"x3mm Ball Bearing Radius Corners (pair) PVD Stainless Steel  
SS-4X331.5RSS 4"x3"x3mm Ball Bearing Radius Corners (1.5 pair) Satin  
SS-4X331.5RPS 4"x3"x3mm Ball Bearing Radius Corners (1.5 pair) Polished

BS EN 1935:2002 single axis hinges classification code.

4	7	6	1	1	4	0	13
---	---	---	---	---	---	---	----



1121 Grade 13



FD30/60



SS-4X33DBSS 4"x3"x3mm Ball Bearing with security Dog Bolt Satin  
SS-4X33DBPS 4"x3"x3mm Ball Bearing with security Dog Bolt Polished  
SS-4X33DBPVD 4"x3"x3mm Ball Bearing with security Dog Bolt PVD Stainless Steel

BS EN 1935:2002 single axis hinges classification code.


4	7	6	1	1	4	1	13
---	---	---	---	---	---	---	----



1121 Grade 13



FD30/60



SS-4X43SS 4"x4"x3mm Ball Bearing Hinges (pair) Satin  
SS-4X43PS 4"x4"x3mm Ball Bearing Hinges (pair) Polished  
SS-4X43PVD 4"x4"x3mm Ball Bearing Hinges (pair) PVD Stainless Steel  
SS-4X431.5SS 4"x4"x3mm Ball Bearing Hinges (1.5 pair) Satin  
SS-4X431.5PS 4"x4"x3mm Ball Bearing Hinges (1.5 pair) Polished

BS EN 1935:2002 single axis hinges classification code.

4	7	6	1	1	4	0	13
---	---	---	---	---	---	---	----



1121 Grade 13



FD30/60



SS-3X22SS 3"x2"x2mm 2BB Satin  
SS-3X22PS 3"x2"x2mm 2BB Polished  
SS-3X22PVD 3"x2"x2mm 2BB PVD Stainless Steel

BS EN 1935:2002 single axis hinges classification code.

2	7	2	0	1	4	0	7
---	---	---	---	---	---	---	---



1121 Grade 7



FD30/60



Extraordinary value for money, this range is ideally suited for any housing projects that require good looking handles in popular finishes.





m.marcus  
architectural hardware



## Luca

**PR410**  
Lever Latch  
149 x 42mm



FD30/60

**PR400**  
Lever Lock

**PR410**  
Lever Latch

**PR420**  
Bathroom Set

**PR448**  
Euro Profile





m.marcus  
architectural hardware



## Avon

### PR905

Lever Latch on Long Plate  
155 x 41mm



FD30/60



### PR900

Lever Lock

### PR905

Lever Latch on Long Plate

### PR910

Lever Latch on Short Plate  
119 x 41mm

### PR920

Bathroom Set

### PR925

Privacy Set on Short Plate  
119 x 41mm

### PR927

Euro Profile



### PR930

Lever on Rose  
57mm Diameter





## Malvern

### PR905

Lever Latch on Long Plate  
155 x 41mm



FD30/60



### PR600

Lever Lock

### PR605

Lever Latch on Long Plate

### PR610

Lever Latch on Short Plate  
119 x 41mm

### PR620

Bathroom Set

### PR625

Privacy Set on Short Plate  
119 x 41mm

### PR648

Euro Profile



### PR630

Lever on Rose  
57mm Diameter







## Milton

### PR510

Lever Latch on Long Plate  
171 x 42mm



FD30/60

### PR500

Lever Lock

### PR510

Lever Latch on Long Plate

### PR505

Lever Latch on Short Plate  
122 x 40mm

### PR520

Bathroom Set

### PR525

Privacy Set  
170 x 41mm

### PR548

Euro Profile





m.marcus  
architectural hardware



## Kensington

**PR7084**  
Lever Latch  
208 x 48mm



FD30/60

**PR7082**  
Lever Lock  
**PR7084**  
Lever Latch  
**PR7088**  
Bathroom Set  
**PR7048**  
Euro Profile



## STANDARD

2 1/2" recommended for levers, 3" recommended for knobs

### TUBULAR LATCHES

- YKTL27** 2 1/2" Brass Sq Strike
- YKTL29** 2 1/2" Nickel Sq Strike
- YKTL37** 3" Brass Sq Strike
- YKTL39** 3" Nickel Sq Strike

Suitable for Round Rose furniture requiring Bolt through fixing



### BATHROOM LOCKS

- YKBL27** 2 1/2" Brass
- YKBL29** 2 1/2" P.Chrome
- YKBL37** 3" Brass
- YKBL39** 3" P.Chrome

Suitable for Round Rose furniture requiring Bolt through fixing



### 2 LEVER SASHLOCKS

- YKSL227** 2 1/2" Brass Finish
- YKSL229** 2 1/2" Nickel Plated Finish
- YKSL237** 3" Brass Finish
- YKSL239** 3" Nickel Plated Finish


Suitable for Round Rose furniture requiring Bolt through fixing



### 3 LEVER SASHLOCKS

- YKSL327** 2 1/2" Brass
- YKSL329** 2 1/2" Nickel
- YKSL337** 3" Brass
- YKSL339** 3" Nickel

Suitable for Round Rose furniture requiring Bolt through fixing



### 3 LEVER DEADLOCKS

- YKDL327** 2 1/2" Brass
- YKDL329** 2 1/2" Nickel
- YKDL337** 3" Brass
- YKDL339** 3" Nickel



## ARCHITECTURAL

2 1/2" recommended for levers, 3 & 4" recommended for knobs

### TUBULAR BATHROOM DEADBOLT

- YKBDB3** 3"
- YKBDB4** 4"

Suitable for Round Rose furniture requiring Bolt through fixing  
Both Nickel Plate & Polished Brass faceplate & strike supplied



### TUBULAR LATCHES

- YKAL2** 2 1/2" NOT bolt through
- YKAL3** 3" Bolt through
- YKAL4** 4" bolt through
- YKAL5** 5" bolt through

Suitable for Round Rose furniture requiring Bolt through fixing  
Both Nickel Plate & Polished Brass faceplate & strike supplied




CE 1121  
CE 2 H 8 F 0 F - B G 3 0

### BATHROOM LOCKS

- YKABL27** 2 1/2" Brass Finish
- YKABL29** 2 1/2" Satin Chrome Finish
- YKABL37** 3" Brass Finish
- YKABL39** 3" Satin Chrome Finish


Suitable for Round Rose furniture requiring Bolt through fixing



### 3 LEVER LOCKS SASHLOCKS

- YKASL327** 2 1/2" Brass
- YKASL329** 2 1/2" Nickel
- YKASL337** 3" Brass
- YKASL339** 3" Nickel

Suitable for Round Rose furniture requiring Bolt through fixing




### DEADLOCKS

- YKADL327** 2 1/2" Brass
- YKADL329** 2 1/2" Nickel
- YKADL337** 3" Brass
- YKADL339** 3" Nickel



### FLAT LATCH MORTICE DEADBOLT

- YKAFDB27** 2 1/2" Brass
- YKAFDB29** 2 1/2" Nickel
- YKAFDB37** 3" Brass
- YKAFDB39** 3" Nickel



### MORTICE LATCH

- YKAFL27** 2 1/2" Brass
- YKAFL29** 2 1/2" Nickel
- YKAFL37** 3" Brass
- YKAFL39** 3" Nickel



## ARCHITECTURAL

CE 1121 CE 2 H 8 I\* 0 F 2 B A 3 0

### EURO PROFILE SASHLOCKS

- YKASLE27** 2 1/2" Brass
- YKASLE29** 2 1/2" Nickel
- YKASLE37** 3" Brass
- YKASLE39** 3" Nickel

Suitable for Round Rose furniture requiring Bolt through fixing




FD30/60

CE 1121 CE 2 H 8 I\* 0 F 2 B A 0 0

### DEADLOCKS

- YKADLE27** 2 1/2" Brass
- YKADLE29** 2 1/2" Nickel
- YKADLE37** 3" Brass
- YKADLE39** 3" Nickel



FD30/60

CE 1121 CE 2 H 8 I\* 0 F 2 K D 0 B

### 5 LEVER SASHLOCKS

- YKASL527** 2 1/2" Brass
- YKASL529** 2 1/2" Nickel
- YKASL537** 3" Brass
- YKASL539** 3" Nickel

Suitable for Round Rose furniture requiring Bolt through fixing




FD30/60

CE 1121 CE 2 H 8 I\* 0 F 2 K D 3 B

### DEADLOCKS

- YKADL527** 2 1/2" Brass
- YKADL529** 2 1/2" Nickel
- YKADL537** 3" Brass
- YKADL539** 3" Nickel



FD30/60



FD30/60



FD30/60


### NIGHTLATCHES

- NL3060-PB** 60mm Polished Brass
- NL3060-PC** 60mm Polished Chrome
- NL3060-SC** 60mm Satin Chrome
- NL3060-WH** 60mm White

- NL3040-PB** 40mm Polished Brass
- NL3040-PC** 40mm Polished Chrome
- NL3040-SC** 40mm Satin Chrome
- NL3040-WH** 40mm White

### ROLLER BOLT NIGHTLATCHES

- NLR3060-PB** 60mm Polished Brass
- NLR3060-PC** 60mm Polished Chrome
- NLR3060-SC** 60mm Satin Chrome
- NLR3060-WH** 60mm White



FD30/60

## ARCHITECTURAL

CE 1121 CE 2 H 8 I\* 0 F 2 B A 3 0

### OVAL PROFILE SASHLOCKS

- YKASLO27** 2 1/2" Brass
- YKASLO29** 2 1/2" Nickel
- YKASLO37** 3" Brass
- YKASLO39** 3" Nickel

Suitable for Round Rose furniture requiring Bolt through fixing



FD30/60

CE 1121 CE 2 H 8 I\* 0 F 2 B A 0 0

### DEADLOCKS

- YKADLO27** 2 1/2" Brass
- YKADLO29** 2 1/2" Nickel
- YKADLO37** 3" Brass
- YKADLO39** 3" Nickel



FD30/60

### BRITISH STANDARD 5 LEVER SASHLOCKS


- YK BSSL27** 2 1/2" Brass
- YK BSSL29** 2 1/2" Satin Chrome
- YK BSSL37** 3" Brass
- YK BSSL39** 3" Satin Chrome

Suitable for Round Rose requiring Bolt through fixing



### DEADLOCKS

- YK BSDL27** 2 1/2" Brass
- YK BSDL29** 2 1/2" Satin Chrome
- YK BSDL37** 3" Brass
- YK BSDL39** 3" Satin Chrome



### RIMLOCKS

- YKRIM64BK** Black Enamel 6 x 4"
- YKRIM64PB** Polished Brass 6 x 4"
- YKRIM64PC** Polished Chrome 6 x 4"
- YKRIM64SC** Satin Chrome 6 x 4"

**M. Marcus** Limited offers a wide array of security products, an overview of which is given here. Please request the full catalogues for further details.



**ISEO** has an ability to integrate Italian high design and technical innovation into a range of emergency exit devices that are setting new standards in both design and performance.

**ISEO** offers, without compromise, a wide range of emergency exit hardware devices together with a choice of superior finishes to complement the appearance of any project.

**ISEO** emergency exit devices endure rigorous testing to achieve the performance and fire resistance requirements of either BS EN1125 or BS EN 179 emergency exit devices as applicable.

**ISEO** emergency exit devices can be installed to most door material types by adding the relevant additional components found within the accessories section of this catalogue.

Please request the full catalogue for further details. Telephone: 01384 247844



A comprehensive collection of mortice locks, the York Range offers products to suit all security and budget requirements.

The Standard Range offers a cost effective range of both locks and latches, offering reversible latch bolt and the ability to use bolt through furniture.

The architectural range is used when a higher level of specification is required, or when heavy unsprung furniture is being used. Ranging from tubular latches through to 5 lever, there is a choice of two styles of lock case, one a dedicated Euro profile, the other Oval profile.

All lock cases are recommended for use with the **ISEO** cylinder systems.

Please request the full catalogue for further details. Telephone: 01384 247844



The **ISEO** 5 pin is suitable for everyday use. A competitively priced but comprehensive range of cylinders, all 5 pin cylinders are provided with mushroom anti-pick top pins, brass bottom pins, solid extruded body, steel cam to DIN standard 18254 and phosphor bronze springs. Three nickel plated keys are supplied to differ cylinders.

The **ISEO** R6 & R11 cylinder systems offer increased locking and key security, combined with cost effectiveness. Both systems offer anti drill protection within the cylinder together with the use of a 3mm flat key for strength and durability.

The R6 and R11 cylinder systems also offer increased master key capabilities for more complex requirements.

All cylinders are tested to 200,000 uses.

Please request the full catalogue for further details. Telephone: 01384 247844



Category of use  
Durability  
Door mass  
Fire resistance  
Life safety  
Corrosion resistance  
Security  
Projection of bar  
Type of bar operation

3 7 6 1 1 4 2 2 A

## Category of use

Single category of use; to be readily understood and operational by anyone

## Durability

Grade 6 = 100,000 cycles. Grade 7 = 200,000 cycles

## Door Mass

Grade 5 = up to 100Kg. Grade 6 = up to 200Kg

## Fire resistance

Grade 0 = not for use on fire/smoke assemblies. Grade 1 = for use on fire/smoke assemblies

## Life safety

Single category of use; when security is secondary to safety

## Corrosion resistance

in accordance with norm prEN 1670  
Grade 3 = High resistance. Grade 4 = Very High resistance

## Security

Single category of use; when security is secondary to safety

## Projection of bar

Category 1 = Projection up to 150mm (standard).  
Category 2 = Projection up to 100mm (low)

## Type of operation

A = Panic Exit device with 'Push Bar' operation  
B = Panic Exit device with 'Touch Bar' operation




**ISEO**







m.marcus  
architectural hardware

**ISEO 5 Pin**


A competitively priced but comprehensive range of cylinders, the **ISEO** 5 pin is suitable for everyday use. Offering Euro, Oval, Rim and Threaded Cylinders and Padlocks within the range, Master Key suites can be dispatched within 48 hours from receipt of order, if required.

**EURO PROFILE****Double Cylinder****Single Cylinder****Round Thumbturn****Disabled Thumbturn****Economy Thumbturn****OVAL PROFILE****Double Cylinder****Single Cylinder****Round Thumbturn****Disabled Thumbturn****Rim Cylinder****Threaded Cylinder****Rectangular Padlocks**

## ISEO R6

For use where increased security is required, the R6 offers a 6 pin flat key system, with all cylinders having anti-drill protection built in.


Master Key suites can be dispatched within 72 hours from receipt of order.



## ISEO R11

This patented cylinder offers a higher security option at competitive prices. The R11 is an 11 pin flat key system, with full anti-drill protection and offers effective key duplication security.

Master Key suites can be dispatched within 96 hours from receipt of order.



# Master Keys

Master Key Suites (Including Sub Suiting if required), Common Key Systems and Keyed Alike cylinders are available within very short delivery periods, and full records are kept allowing additions and replacements to be easily ordered at a later date.

## KEYING SERVICES

**ISEO** cylinders are available as standard differ, keyed alike or master keyed, or as a combination of all three. Complex grand master keys suites are possible, but remember it is wise to check the feasibility of any system. The following diagrams give a guide to the keying arrangements possible. More complex systems can be achieved depending on the cylinder system used.

We recommend that thought be given to any future growth that may be required. Although all master key suites have expansion built in, it is often easier to accommodate this in the initial design.

**ISEO's** cylinder systems offer a solution to most security and master keying requirements.


## KEYED TO DIFFER

Each cylinder is only opened by its own key or exact copy of that key.



## KEYED ALIKE

In keyed alike arrangements the same key operates all cylinders. Different types of cylinder can be included, as can both Euro and Oval profile. This is useful where a combination of lock cases are being used.



## COMMON ENTRANCES

Common entrance suites are normally used in situations such as student accommodation. They are designed to allow each key holder to use the same key for their flat door as well as doors which are common to other residents. A key can also be issued that opens only the common doors. This is useful for milkmen or for maintenance of common areas. The important thing is that only the tenant's key or an exact copy will open their flat door.




## MASTER KEY SUITE

In a master key suite, a number of cylinders, each with their own individual keys can also be opened by another single key, the master key. This allows each person to only carry one key yet open more than one door if required.

## GREAT GRAND MASTER KEY SUITE

Grand master key suites are an extension of master key suites and allow doors to be grouped and sub-grouped. Each door is opened by its own key and its group master key. These type of systems are useful in hotels, where each room has its own key. A cleaner may have a key that opens all the rooms on one floor and the manager one key to open all doors.

Keyed alike groups and common cylinders can be incorporated into this type of scheme.



FOR THE FULL RANGE OF LOCKS AND CYLINDERS REFER TO OUR SECURITY CATALOGUE

## Lever Lock



External Doors BS Sash  
Certified to BS 3621:2007

Size & Finish
2 1/2" Brass
2 1/2" Nickel
3" Brass
3" Nickel

Internal Doors  
3 Lever

<b>YKBSSL27</b>	2 1/2" Brass	<b>YKASL327</b>
<b>YKBSSL29</b>	2 1/2" Nickel	<b>YKASL329</b>
<b>YKBSSL37</b>	3" Brass	<b>YKASL337</b>
<b>YKBSSL39</b>	3" Nickel	<b>YKASL339</b>

2 1/2" recommended for levers, 3" recommended for knobs



Deadlock  
Certified to BS 3621:2007

<b>YKBSDL27</b>	2 1/2" Brass
<b>YKBSDL29</b>	2 1/2" Nickel
<b>YKBSDL37</b>	3" Brass
<b>YKBSDL39</b>	3" Nickel

**For doors which require locking**  
Combine your choice of Decorative Handle with the lock options shown above

## Lever Latch



<b>YKTL27</b>	2 1/2" Brass
<b>YKTL29</b>	2 1/2" Nickel
<b>YKTL37</b>	3" Brass
<b>YKTL39</b>	3" Nickel

2 1/2" recommended for levers, 3" recommended for knobs



**For doors which do not require locking**  
Combine your choice of Decorative Handle with one of the tubular latches shown above

## Privacy Set



<b>YKTL27</b>	2 1/2" Brass
<b>YKTL29</b>	2 1/2" Nickel
<b>YKTL37</b>	3" Brass
<b>YKTL39</b>	3" Nickel

2 1/2" recommended for levers, 3" recommended for knobs



**For doors which require privacy latch**  
The snibturn on the decorative lever prevents the handle from being depressed when in the locked position. Emergency access is possible using a coin from the outside. Combine your lever choice with one of the tubular latches shown above.

FOR THE FULL RANGE OF LOCKS AND CYLINDERS REFER TO OUR SECURITY CATALOGUE

## Bathroom Set



**YKABL27** 2 1/2" Brass  
**YKABL29** 2 1/2" Nickel  
**YKABL37** 3" Brass  
**YKABL39** 3" Nickel

2 1/2" recommended for levers, 3" recommended for knobs

## Euro Profile



**YKASLE27** 2 1/2" Brass  
**YKASLE29** 2 1/2" Nickel  
**YKASLE37** 3" Brass  
**YKASLE39** 3" Nickel

2 1/2" recommended for levers, 3" recommended for knobs

## Oval Profile



**YKASLO27** 2 1/2" Brass  
**YKASLO29** 2 1/2" Nickel  
**YKASLO37** 3" Brass  
**YKASLO39** 3" Nickel

2 1/2" recommended for levers, 3" recommended for knobs



### For doors which require a bathroom lock

The snibturn on the decorative lever throws a deadbolt in the bathroom lock. Emergency access is possible using a coin from the outside. Combine your lever choice with one of the Bathroom Lock shown above.

### For doors which require locking

Combine your choice of Decorative Handle with the lock options shown above

### For Doors which require Locking

Combine your choice of Decorative Handle with the lock options shown above



## Warranties

These warranties are offered in addition to any statutory Legal rights for the sale of goods.

M. Marcus will not be liable for any incidental or consequential damages arising from the sale or use of our products. We assume no liability for any labour charges regarding the removal or reinstallation of the products; nor will we cover any carriage costs. Our only obligation will be to replace the defective products upon presentation of proof of purchase dated within the warranty periods stated.

Due to a continuous programme of development, M.Marcus Limited reserves the right to make alterations without notice. For technical reasons connected with colour reproduction the colours shown may vary slightly from those of the product. All dimensions provided within this catalogue are approximate and for guidance only.

E. & O.E.  
 (Errors And Omissions Excepted)

For terms and conditions of sale please refer to the current price list.

### *10 Year Mechanism Warranty*

Sprung sets will be replaced if within 10 years from the date of purchase the spring mechanism breaks due to faulty workmanship or materials. This 10 year warranty applies only to the original purchaser.

The warranty is made void for any breakage caused by misuse or accident or in the manufacturer's opinion the breakage arises from undue care. To validate any claim under this warranty a receipt or other proof of the age of the installation may be requested.

## Finishes & Maintenance

To help keep products looking good, a simple cleaning routine of once a month should be sufficient. Products fitted externally or in exposed locations will require a more regular maintenance program which should also include a light oiling of the handle mechanism.

### *PB Polished Brass*

Wipe over with a soft non abrasive cloth and buff gently to a shine. For all external fittings wipe over and sparingly apply a good wax polish, to avoid smears buff gently to a shine before the wax dries. DO NOT USE Metal or spray polishes as the grit or solvents in these products may damage the finish. We use high quality Multi-Resin Lacquer coatings to help keep the brass fittings surfaces looking good. Cleaned regularly the lacquer coating should provide you with good service but the life of the lacquer coating cannot be guaranteed.

If the lacquer surface breaks down you may wish to remove the remaining lacquer by using a paint stripper, e.g. "Nitromores" strictly follow the manufacturer's instructions and follow any safety advice for using the product. After stripping the lacquer use a soft cloth and a metal polish, e.g. "Brasso" or "Duraglit". remove any tarnish and then buff to a bright finish. The fitting can then be re-lacquered using a lacquer suitable for use on metal.

For external use you may prefer to leave the item unlacquered and then polish regularly with metal polish.

### *PC SC AP Decorative finishes*

Chrome plated products are hard-wearing finishes that are virtually maintenance free. To remove finger marks on polished surfaces we recommend a light dusting with a soft non abrasive cloth. Avoid wax polish on polished chrome as this may cause smearing or bloom which can then be difficult to remove.

### *Stainless Steel*

For light soiling wipe over all exposed stainless steel surfaces with a clean cloth using warm water and a mild detergent.

For stubborn stains use a kitchen and bathroom cleaning product such as a cream cleaner or other purpose-made product with warm water, bristle brushes and clean cloths.

Do not use carbon steel brushes or steel wool as this will scratch and damage the surface. A light oiling of springs or moving parts will keep the mechanism free of corrosion, though be careful to avoid spills on surrounding paintwork.

*Always rinse off then wipe surfaces dry with a clean lint free cloth.*

brands of distinction



**Heritage Brass**  
SOLID BRASS DOOR FURNITURE



*Transitions*




the **TUDOR** collection



**SORRENTO**




**STEEL LINE**



Security Products



Security Products



**Heritage Brass**  
ELECTRICAL ACCESSORIES





Certificate No. FM 35735



m.marcus  
architectural hardware



**M.Marcus Ltd.** Unit 7, Narrowboat Way, Dudley. DY2 0XQ  
Tel Sales: (01384) 247844 Admin: (01384) 457900 Fax: (01384) 457903

<http://www.m-marcus.com>  
e-mail us at: [info@m-marcus.com](mailto:info@m-marcus.com)